

SAFETY DATA SHEET

Section 1 Identification	on of the material and the supplier
Product:	FramePro Treated Radiata Pine
Product Use:	Timber components for use in structures in protected situations where insect and fungal decay resistance is required
Other names:	Boric treated softwood
Supplier of Treatment Chemical:	Koppers Performance Chemicals New Zealand
Address:	14 Mayo Road,
	Wiri Auckland, New Zealand
Telephone:	(09) 277 7770
Fax Number:	(09) 277 8011
Emergency Telephone:	0800 243 622
Date of SDS Preparation:	26 August 2022
Section 2 Hazards Ide	entification

This substance is NOT hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

Section 3	Composition / Informat	ion on Ingredients	
Name Pinus Radiata – 1 Wood preservativ		CAS Number N/A	Weight % > 90
Disodium Octabo Benzalkonium ch Mono Ethylene G	rate Tetrahydrate Ioride	12008-41-2 8001-54-5 107-21-1	0.1 - 3 0.1 - 1 1 - 5
Section 4	First Aid Measures		
Routes of Exposur	e:		
If in Eyes		Hold eyes open and carefully rinse eyes with running water for several minutes. Seek medical advice if irritation persists.	
If on Skin		Brush off dust. Rinse skin with soap and water or shower. If skin irritation occurs, get medical attention. Get medical advice if pierced by splinters.	
If Swallowed		Rinse mouth. Do not induce vomiting unless told to do so by a medical professional. Seek medical attention if you feel unwell.	
If Inhaled	comfortable for b respiration. Use i	ficult, remove to fresh air and keep reathing. If person is not breathing nouth-to-nose rather than mouth- toms: Seek medical attention.	g, begin artificial

26/8/22

Date of SDS:

SDS Prepared by: Technical Compliance Consultants (NZ) Ltc Tel: 09 475 5240 www.techcomp.co.nz Page 1 of 5

If this border is black, it is a photocopy



Section 5 Fi	re Fighting Measures
Hazard Type	Combustible material
Hazards from decomposition products	Avoid breathing smoke or fumes that may contain hazardous decomposition products. Carbon dioxide, carbon monoxide, oxides of nitrogen. May produce toxic decomposition products in fumes and smoke in fire.
Suitable Extinguishing media	Water spray.
Precautions for firefighters and special protective clothing	Wear personal protection equipment and self-contained breathing apparatus. Wood dust may form explosive mixtures with air.
HAZCHEM CODE	None Allocated

Section 6 Accidental Release Measures

GENERAL:

Wear appropriate personal protective equipment. Avoid any contact with skin or eyes.

Dispose of treated off cuts to authorised landfill. Consult Regional Council for disposal options Clean spillage area with detergent and water. Wash and dry any contaminated protective equipment before re-use.

Section 7	Handling and Storage

HANDLING:

- Wear protective clothing.
- Wash hands before smoking, eating, drinking or using the toilet
- Keep away from sparks, open flames, hot surfaces. No smoking.

STORAGE:

- Store in a dry, well-ventilated place, away from sources of heat or ignition
- Store away from incompatibilities listed in Section 10.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

		TWA		STEL
Substance		ppm	mg/m³	ppm mg/m³
Wood dust (soft wood)			2	
Borates, tetra, sodium salts (pentahydrate)			1	
Ethylene glycol (vapour and mist)	Ceiling -	50	127	

ENGINEERING CONTROLS:

Use with mechanical dust extraction or in well-ventilated area or outside. Avoid sawing or sanding of timber that is wet (not dry) with the preservative treatment



PERSONAL PROTECTIVE EQUIPMENT:

Eyes	Wear goggles, full face shield, or safety glasses with side shields when cutting this product.
Hands and Skin	Wear protective clothing such as overalls and shirt with sleeves, also closed in footwear. Wear puncture-resistant gloves (e.g. leather) when handling dry wood, or rubber gloves if the surfaces are wet with preservative
Respiratory	Use in well-ventilated area or outside. Wear dust mask if wood dust is generated.
General	Wash hands before eating, drinking, smoking, using the toilet and at the end of the shift.

Section 9 Physical and Cher	nical Properties
Appearance	Machined or rough-sawn pine timber and timber-based
	products; may be a pink/red colour, natural wood colour
	or may be painted
Odour	Not available
Odour Threshold	Not applicable
рН	Not applicable
Boiling Point	Not applicable
Melting Point	Not applicable
Freezing Point	Not available
Flash Point	Not applicable
Flammability	Combustible
Upper and Lower Explosive Limits	Not applicable
Vapour Pressure	Not applicable
Density at 20°C	$0.4 - 0.6 \text{ g/cm}^3$
Solubility in water	Insoluble
Partition Coefficient:	Not applicable
Auto-ignition Temperature	Not applicable
Decomposition Temperature	Not available
Kinematic Viscosity	Not available
Particle Characteristics	Not available
% Volaties	Not applicable
Evaporation Rate	Not applicable
Section 10 Stability and Reac	tivity

Chemical Stability: Conditions to Avoid: Incompatibility: Hazardous Decomposition: Products	Stable under normal storage and use conditions. Avoid contact with extreme heat. Other combustible materials, Strong oxidising agents, acids, alkalis. Carbon dioxide, carbon monoxide, oxides of nitrogen. May produce toxic decomposition products in fumes and smoke in fire.
Products	

Section 11

Toxicological Information

Acute Effects:

Swallowed	Not applicable.
Dermal	Not applicable.
Inhalation/Respiratory	Sawdust may cause asthma-like symptoms.
Eye	Sawdust may cause eye irritation.
Skin	Sawdust may cause skin irritation. May cause skin sensitization.

Product Name: FramePro Treated Radiata Pine Date of SDS: 26/8/22 SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 09 475 5240 www.techcomp.co.nz Page **3** of **5**



Chronic Effects:

Carcinogenicity Reproductive Toxicity Germ Cell Mutagenicity STOT/SE STOT/RE Aspiration	Sawdust may cause nasal/paranasal cancer through repeated exposure. Not applicable. Not applicable. Not applicable. May cause damage to skin and lungs through repeated exposure. Not applicable.
Section 12 E	cotoxicological Information
	to be a hazard to the environment. FramePro treated wood may contain ecotoxic ach out into waterways over time. Remove from waterways as soon as possible.
Persistence/Degradeabil Mobility in Soil: Bioaccumulative potenti Other Adverse effects:	No data available
Section 13 D	isposal Considerations
DO NOT use off cuts for h	to authorised landfill. Consult Regional Council for disposal options. eating or cooking fires or for barbecues or spit roasts. Avoid contact with ash; . Dispose of ash safely to an approved landfill.
Section 14 Tr	ransport Information
This substance is not class 5433:2021	sified as a Dangerous Good for transport in NZ ; NZS 5433:2020 and SNZ HB
Section 15 R	egulatory Information
This substance is NOT h Notice 2020	azardous according to the EPA Hazardous Substances (Classification)
Section 16 O	ther Information
Glossary Cat. AWC EC $_{50}$ EEL EPA HSNO HSW LC $_{50}$ LD $_{50}$ LEL OSHA TEL TLV UEL WES	Category Aggregate water capacity. Median effective concentration. Environmental Exposure Limit. Environmental Protection Authority Hazardous Substances and New Organisms. Health and Safety at Work. Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it. Lethal dose to kill 50% of test animals/organisms. Lower explosive level. American Occupational Safety and Health Administration. Tolerable Exposure Limit. Threshold Limit Value-an exposure limit set by responsible authority. Upper Explosive Level Workplace Exposure Limit
Product Name: FramePro Trea Date of SDS: 26/8/22	tted Radiata Pine SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 09 475 5240 www.techcomp.co.nz Page 4 of 5 If this border is black, it is a photocopy



References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Apr 2022 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been compiled by TCC (NZ) Ltd on behalf of the manufacturer of the product and serves as the manufacturer's Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) Ltd has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand proprietor, Koppers Performance Chemicals New Zealand, if further information is required.

Issue Date: 26 August 2022

Review Date: 26 August 2027